

QA/QC Meeting 17 Jul 2025

Participants: LH, KMK, IF, LA, AG, HSC, LS, LK, ZG, YW (10)

ALL SITES **Current**

- Setup her2 cloud VM instead of DDSs
- CMA now has data logged with rCore script (instead of nokread) → processing
- Upload additional/older macro data for FLUXNET 2025

Additional/older meter data:

- AWS data, USK
- CHS-2
- GAW-100m-HCC method
- FDC-100m-LA
- FDC-100m-LA
- GAW-2
- GAW-100m-PT
- GAW-100m-2

ALL SITES **Recent webcam pictures**



APPENDIX

- Setup hest2 cloud VM instead of RDSnx
- CHA now has data logged with rECord script (instead of sonicread) -> processing
- Upload additional/older meteo data for FLUXNET 2025

Additional/older meteo data:

- **AWS:** done, KMK
- **CHA:** ?
- **DAV:** old pre-ICOS meteo
- **FOR:** done, LA
- **FRU:** done, LH
- **LAE:** ?
- **OE2:** done, FT
- **TAN** (Tnk): ?

General Info

- **Attendance:** If you are (Tech-)SRP, please attend QA/QC meetings or tell LH if you can't, needed for planning of the meetings.
- **Short statement:** SRP & Tech-SRP: please prepare short statement about your site and post it on the slide together with the plot(s). You can also extend the already available text snippet(s) from previous meetings. (max. 2 sentences)
- **Purpose:** The purpose of QA/QC meetings is to check on current, incoming data. SRPs choose specific issues we should look at together and discuss in the group. Fluxes are checked if the respective SRP wishes to do so.
- **Variables:** There is a list of known variable abbreviations that you can use in case you wonder what an abbreviation means: [Variable Abbreviations](#)
- **Check of EC raw data files:**
 - Recommended check for SRPs and T-SRPS: take a look at EC raw data files and check if they look OK
 - Current EC raw data files are automatically converted to ASCII each day (done by the Python script bico)
 - Files and their plots can be found here, e.g. for CH-LAS:
`gl-processing\CH-LAS_Lae-Subcanopy\20_ec_fluxes\2022\raw_data_ascii`
- **Weekly flux calculations on the RDS:**
 - Please calculate fluxes and check them once per week, or more often if you wish to do so.
 - If you cannot calculate the fluxes, try to find a substitute, e.g. LH.
 - Please move your Level-0 results from the RDS to the respective Level-0 folder.
- **RDS folder:** The folder P:\Flux\RDS_calculations is a temporary folder. Please move Level-0 flux calculations (preliminary fluxes) to the Level-0 folder on gl-processing. For example, for CH-CHA move files to Z:\CH-CHA_Chamau\20_ec_fluxes\2022\Level-0 (gl-processing is mounted as drive Z in this example).
- The RDS now has access to the database. This means that we now have a shared working environment where we can run Jupyter notebooks.
- **FluxCoffee:** separate meetings to discuss data related issues, e.g. flux processing and technical issues, started and will continue to take place. There are extensive notes available in the Data/FluxCoffee group on Microsoft Teams.
- **List of QA/QC Meeting dates:** [QA/QC Meetings 2024](#)

Webcam | CH-AWS



Webcam | CH-CHA | GF4



Webcam | CH-DAV



Webcam | CH-DAV | FF1



Webcam | CH-DAV | FF2




Webcam | CH-DAV | FF3



Webcam | CH-DAV | FF4



Webcam | CH-DAV | FF5



Webcam | CH-FRU



Webcam | CH-LAE




Webcam | CH-OE2




Webcam | CH-TAN



Air Temperature (°C) ♥




Min	Mean	Max
CH-AWS -14.1 °C	CH-AWS 4.6 °C	CH-AWS 25.4 °C
CH-CHA -5.7 °C	CH-CHA 10.4 °C	CH-CHA 34.5 °C
CH-DAV -12.7 °C	CH-DAV 10.6 °C	CH-DAV 7648100.0 °C
CH-DAS -12.7 °C	CH-DAS 5.1 °C	CH-DAS 26.3 °C
CH-FOR -6.2 °C	CH-FOR 8.8 °C	CH-FOR 32.3 °C
CH-FRU -11.2 °C	CH-FRU 8.7 °C	CH-FRU 30.2 °C
CH-HON -100.0 °C	CH-HON 10.9 °C	CH-HON 32.8 °C
CH-LAE -5.5 °C	CH-LAE 10.9 °C	CH-LAE 31.6 °C
CH-LAS -5.1 °C	CH-LAS 10.5 °C	CH-LAS 31.1 °C
CH-OE2 -5.5 °C	CH-OE2 10.9 °C	CH-OE2 39.1 °C

Shortwave Incoming Radiation (W m⁻²)

Smoke from Canadian wildfires


Max

CH-AWS 1471 W/m²
CH-DAV 1483 W/m²
CH-DAS 933 W/m²
CH-FOR 1387 W/m²
CH-FRU 1210 W/m²
CH-HON 1237 W/m²
CH-LAE 1363 W/m²
CH-LAS 781 W/m²
CH-OE2 1380 W/m²

Photosynthetically Active Radiation (μmol m⁻² s⁻¹)


Max

CH-AWS 2945
CH-DAV 2946
CH-DAS 1935
CH-FOR 2910
CH-FRU 2761
CH-HON 2506
CH-LAE 2495
CH-LAS 1458
CH-OE2 5284




FC, CO2 flux: This year so far ...


ch-aws_processed: FC (hourly)




ch-cha_processed: FC (hourly)




ch-das_processed: FC (hourly)




ch-dav_processed: FC (hourly)




ch-for_processed: FC (hourly)




ch-fru_processed: FC (hourly)




ch-hon_processed: FC (hourly)




ch-lae_processed: FC (hourly)




ch-las_processed: FC (hourly)



ch-oe2_processed: FC (hourly)




ch-tan_processed: FC (hourly)


<https://dataviews.swissfluxnet.ethz.ch>

Last 6 months


CO₂ Fluxes (Level-0) ❤️




Cumulative CO₂ Fluxes (Level-0)



H₂O Fluxes (Level-0)




Cumulative H₂O Fluxes (Level-0)




ALL SITES N₂O and CH₄ fluxes

Last 6 months


N₂O flux (Level-0)



Cumulative N₂O flux (Level-0)



CH₄ flux (Level-0)




Cumulative CH₄ flux (Level-0)





<https://dataviews.swissfluxnet.ethz.ch>



- CO2 uptake in full action
- Already two grazing periods
- All good!























- last mowing: 2025.07.09
- Webcam images have not been uploaded yet

























Photo: Lukas Hörtnagl




- Net CO₂ uptake seemed slightly reduced during the heatwave in June
- Tair reached 26.5°C on June 13 (site record was 28.7°C in 2019; 30 min avg)






























Photo: Lorenz Allemann 31




- 11.05 Maize sowing
- 06.06 Mineral fertilization
- 09.07 Sonic height adjustment


Highest half-hourly net CO₂ uptake







- 11.05 Maize sowing
- 06.06 Mineral fertilization



- 11.05 Maize sowing
- 06.06 Mineral fertilization






Photo: Lukas Hörtnagl

MAIN TOWER (sonicread+rECord)


H

CO₂ flux

LE

H_L3.1_L3.3_CUT_NONE_QCF (30min) SL NEE_L3.1_L3.3_CUT_PRELIM_QCF (30min) SU


LE_L3.1_L3.3_CUT_NONE_QCF (30min) SU



- With preliminary QCF using the diive notebook `notebooks/FluxProcessingChain/QuickFluxProcessingChain.ipynb`
- High and medium-quality fluxes
- Preliminary outlier removal
- With preliminary USTAR filtering for NEE



Photo: Lukas Hörtnagl



- With preliminary QCF using the diive notebook
notebooks/FluxProcessingChain/QuickFluxProcessingChain.ipynb
- Highest- and medium-quality fluxes
- Preliminary outlier removal
- With preliminary USTAR filtering for NEE



- Wind direction this year so far
- red/blue/green = footprint of interest
- Orange = behind tower, on path
- Will need QC with wind direction included

Mar 2024 – Feb 2025: the young forest was a strong CO₂ source, 442 g C m⁻²








Photo: Markus Staudinger












Photo: Liliana Scapucci











Photo: Regine Maier


CO₂ flux

Abs limits: -70+70




H



Abs limits: -100+450

H₂O flux



Abs limits: -2+20



NEW! LGR in CH-Oe2 since end of June



No fertilization until now (next week, the first slurry application since the LGR was installed will happen)



APPENDIX

Including uploads in 2025, FLUXNET now has:

- **AWS:** fluxes and meteo 2006-2024, excl. 2012
- **CHA:** fluxes and meteo 2005-2024, incl. N₂O and CH₄ 2012-2022 [Overview](#)
- **DAV:** fluxes and meteo 1997-2024, incl. CH₄ 2016-2017, 2020-2023
- **FOR:** fluxes (N₂O, CH₄, CO₂+?) and meteo 2024
- **FRU:** fluxes and meteo 2005-2024
- **LAE:** fluxes and meteo 2004-2024
- **OE2:** fluxes and meteo 2004-2024, incl. CH₄ and N₂O 2022-2023, and CH₄ 2018
- **TAN** (Tnk): fluxes and meteo 2024, incl. N₂O and CH₄

Available Level-1 Fluxes

• For info about the different flux levels, see [Flux Processing Chain](#)

UPDATED


also for other sites

[COLUMNS](#) [PRINT](#) [EXCEL](#) [CSV](#) [COPY](#) [PDF](#)


Show All entries Search

↓ Site & Year	SA	GA	CO ₂	H ₂ O	N ₂ O	CH ₄	Current Version	EFDC Version	EFDC Upload	EFDC Calcs	Details
CH-CHA 2005	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2006	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2007	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2008	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2009	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2010	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2011	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2012	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2013	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2014	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2015	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2016	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2017	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2018	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2019	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2020	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2021	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2022	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2023	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	UPDATE	Show
CH-CHA 2024	R350	IRGA75	CO ₂	H ₂ O			FF-202503	FF-202503	20 Apr 2025	NEW	
CH-CHA QLLGR 2012	R350	QCL			N ₂ O	CH ₄	FF-202501	FF-202501	28 Feb 2025	UPDATE	Show
CH-CHA	R350	QCL			N ₂ O	CH ₄	FF-202501	FF-202501	28 Feb 2025	UPDATE	Show

UPDATED



Green heart means that all 11 sites have more than zero values for the shown air temperature variable over the last **48 hours**.



Green heart means that all 11 sites have more than 50% of potential FC fluxes available over the last **72 hours**. Alert is run once every 24 hours, approx. at noon 12:20.

The scripts [bico](#) and [fluxrun](#) are running automatically on the **GROUP-RDS**.

- bico converts sonicread binary files to ASCII
- fluxrun calculates fluxes
- execution times are defined in the Windows Task Scheduler
- **all times are CEST (UTC+2)**


Name	Status	Triggers	Next Run Time
[bico] CH-AWS Convert EC raw data binaries		At 06:00 every day	28.05.2024 06:00:00
[bico] CH-CHA Convert EC raw data binaries		At 06:10 every day	28.05.2024 06:10:00
[bico] CH-DAS Convert EC raw data binaries		At 06:20 every day	28.05.2024 06:20:00
[bico] CH-DAV Convert EC raw data binaries		At 06:30 every day	28.05.2024 06:30:00
[bico] CH-FOR Convert EC raw data binaries		At 06:40 every day	28.05.2024 06:40:00
[bico] CH-FRU Convert EC raw data binaries		At 06:50 every day	28.05.2024 06:50:00
[bico] CH-HON Convert EC raw data binaries		At 07:00 every day	28.05.2024 07:00:00
[bico] CH-LAE Convert EC raw data binaries		At 07:10 every day	28.05.2024 07:10:00
[bico] CH-LAS Convert EC raw data binaries	Ready	At 07:20 every day	28.05.2024 07:20:00
[bico] CH-OE2 Convert EC raw data binaries	Ready	At 07:30 every day	28.05.2024 07:30:00
[bico] CH-TAN Convert EC raw data binaries	Ready	At 07:40 every day	28.05.2024 07:40:00
[fluxrun] CH-AWS Calculate fluxes	Ready	At 08:00 every day	28.05.2024 08:00:00
[fluxrun] CH-CHA Calculate fluxes	Ready	At 08:10 every day	28.05.2024 08:10:00
[fluxrun] CH-DAS Calculate fluxes	Ready	At 08:20 every day	28.05.2024 08:20:00
[fluxrun] CH-DAV Calculate fluxes	Ready	At 08:30 every day	28.05.2024 08:30:00
[fluxrun] CH-FOR Calculate fluxes	Ready	At 08:40 every day	28.05.2024 08:40:00
[fluxrun] CH-FRU Calculate fluxes	Ready	At 08:50 every day	28.05.2024 08:50:00
[fluxrun] CH-HON Calculate fluxes	Ready	At 09:00 every day	28.05.2024 09:00:00
[fluxrun] CH-LAE Calculate fluxes	Ready	At 09:10 every day	28.05.2024 09:10:00
[fluxrun] CH-LAS Calculate fluxes	Ready	At 09:20 every day	28.05.2024 09:20:00
[fluxrun] CH-OE2 Calculate fluxes	Ready	At 09:30 every day	28.05.2024 09:30:00
[fluxrun] CH-TAN Calculate fluxes	Ready	At 09:40 every day	28.05.2024 09:40:00
[ppicos] CH-DAV Convert to ICOS formats	Ready	At 03:35 every day	28.05.2024 03:35:00

The script [dataflow](#) is running automatically on **GL-CALCS**.

- dataflow uploads data to the database
- Meteo data upload starts between 7:00 (AWS) and 7:46 (TAN)
- Flux data upload starts between 11:00 (first site, AWS) and 11:20 (last site, TAN)
- execution times are defined in the *crontab* file
- after upload, data are immediately available in Grafana
- **all times are CET (UTC+1): this means that during summer data uploads start one hour later**

Example AWS during **summer**/**winter** local time:

- bico starts **6:00** / **6:00**
- dataflow 10_meteo upload starts **8:00** / **7:00**
- dataflow 11_meteo_valley upload starts **8:02** / **7:02**
- dataflow 12_meteo_rainfall upload starts **8:04** / **7:04**
- dataflow 13_meteo_pressure upload starts **8:06** / **7:06**
- dataflow 15_meteo_snowheight upload starts **8:08** / **7:08**
- fluxrun starts **8:00** / **8:00**
- dataflow flux upload starts **12:00** / **11:00**



CH-CHA Flux Product

This dataset description is currently in progress.

produced by [Lukas Hörtnagl](#)

Documentation and notebooks for the creation of the PI dataset of the **intensively managed grassland ecosystem station CH-CHA (Chamau)**. The site is part of [Swiss FluxNet](#), operated by the [Grassland Sciences Group, ETH Zurich](#). Group leader: [Prof. Nina Buchmann](#).

The dataset comprises ecosystem fluxes measured by the eddy covariance method (CO_2 , H_2O , H , N_2O , CH_4), meteorological data and detailed management info between 2005 and 2024. More data will be added to this dataset in the future.

For an overview of the dataset, see [here](#).

Current dataset version

CH-CHA FP2025.2 (2005-2024) [current version]


- release date: 7 Mar 2025
- is currently available on demand from the Grassland Sciences group server
- Differences to previous version FP2025.1:
 - Flux calculations Level-1, updated fluxes for 2023:** The vertical wind component w showed a constant offset during some time periods. Fluxes for these time periods were re-calculated separately, taking the offset into account in the EddyPro settings. See [this table](#), Note (28), for the exact time periods. Other time periods during the same year were also re-calculated, but without the offset time periods.
 - Post-processing Level-2, SSITC test:** stricter setting for *all* fluxes between **2022-05-01** and **2023-09-30**. For this test flag, data of medium quality were set to bad quality. This allowed to filter out erratic flux values due to a drift towards negative numbers observed in the vertical wind component w .
 - No new data were added.
- For a list of previous versions see [here](#).

Acknowledgments

We acknowledge the scientific advice by Iris Feigenwinter, Yi Wang, Lukas Hörtnagl, Lutz Merbold, Werner Eugster, Kathrin Fuchs, Matthias Zeeman, Valentin Klaus and Nina Buchmann. The technical assistance in the maintenance of the QCLAS and the eddy station by Thomas Baur, Philip Meier, Markus Staudinger, Paul Linwood, Peter Plüss, Patrick Koller, Florian Käslin is greatly acknowledged. We thank Lukas Stocker and the staff at Chamau for managing the fields around the flux station. We thank Franziska Richter and Severin Henzmann

Jupyter book

UPDATED



Flux Processing Chain

Post-processing of `EdProFluxes` output files

Readbook version: 0.1 (18 Mar 2025)
Author: Lukas Hörtnagl ([@holukas](#))

BACKGROUND

- This readbook demonstrates part of the flux post-processing used for fluxes from Swiss FluxNet research stations.
- For a description of the different flux levels, see [Flux Processing Chain](#).
- Flux calculations (Level-1) were done in a previous step.
- This notebook uses the calculated fluxes (Level-1) and applies several post-processing steps:
 - Quality flag extension (Level-2)
 - Storage correction (Level-3.1)
 - Station removal (Level-3.2)
 - USAR filtering (Level-3.3) - needs known thresholds from separate analysis, e.g. from EddyPro
 - Gap-filling (Level-4.1) - for flux using multiple methods ([MTC](#) [https://www.mtc.ch/](#))
 - Other flux levels are currently not produced in this example
 - RTT Partitioning (Level-4.2)

Importance

- Flux variable names in the input files should follow the [FluxNet convention](#).

Flux Processing Chain

Flux processing follows the [Swiss FluxNet Flux Processing Chain](#).

Flowchart

```


graph TD
    EC[EC Data raw data] --> EC_ASCII[EC ASCII raw data]
    EC_ASCII --> EddyPro[EddyPro]
    EddyPro --> L1[L1 Fluxes]
    EddyPro --> Metro[Metro data]
    L1 --> L2[L2 Fluxes]
    L2 --> L3[L3 Fluxes]
    L3 --> L4[L4 Fluxes]
    L4 --> L5[L5 Fluxes]
    L5 --> L6[L6 Fluxes]
    L6 --> L7[L7 Fluxes]
    L7 --> L8[L8 Fluxes]
    L8 --> L9[L9 Fluxes]
    L9 --> L10[L10 Fluxes]
    L10 --> L11[L11 Fluxes]
    L11 --> L12[L12 Fluxes]
    L12 --> L13[L13 Fluxes]
    L13 --> L14[L14 Fluxes]
    L14 --> L15[L15 Fluxes]
    L15 --> L16[L16 Fluxes]
    L16 --> L17[L17 Fluxes]
    L17 --> L18[L18 Fluxes]
    L18 --> L19[L19 Fluxes]
    L19 --> L20[L20 Fluxes]
    L20 --> L21[L21 Fluxes]
    L21 --> L22[L22 Fluxes]
    L22 --> L23[L23 Fluxes]
    L23 --> L24[L24 Fluxes]
    L24 --> L25[L25 Fluxes]
    L25 --> L26[L26 Fluxes]
    L26 --> L27[L27 Fluxes]
    L27 --> L28[L28 Fluxes]
    L28 --> L29[L29 Fluxes]
    L29 --> L30[L30 Fluxes]
    L30 --> L31[L31 Fluxes]
    L31 --> L32[L32 Fluxes]
    L32 --> L33[L33 Fluxes]
    L33 --> L34[L34 Fluxes]
    L34 --> L35[L35 Fluxes]
    L35 --> L36[L36 Fluxes]
    L36 --> L37[L37 Fluxes]
    L37 --> L38[L38 Fluxes]
    L38 --> L39[L39 Fluxes]
    L39 --> L40[L40 Fluxes]
    L40 --> L41[L41 Fluxes]
    L41 --> L42[L42 Fluxes]
    L42 --> L43[L43 Fluxes]
    L43 --> L44[L44 Fluxes]
    L44 --> L45[L45 Fluxes]
    L45 --> L46[L46 Fluxes]
    L46 --> L47[L47 Fluxes]
    L47 --> L48[L48 Fluxes]
    L48 --> L49[L49 Fluxes]
    L49 --> L50[L50 Fluxes]
    L50 --> L51[L51 Fluxes]
    L51 --> L52[L52 Fluxes]
    L52 --> L53[L53 Fluxes]
    L53 --> L54[L54 Fluxes]
    L54 --> L55[L55 Fluxes]
    L55 --> L56[L56 Fluxes]
    L56 --> L57[L57 Fluxes]
    L57 --> L58[L58 Fluxes]
    L58 --> L59[L59 Fluxes]
    L59 --> L60[L60 Fluxes]
    L60 --> L61[L61 Fluxes]
    L61 --> L62[L62 Fluxes]
    L62 --> L63[L63 Fluxes]
    L63 --> L64[L64 Fluxes]
    L64 --> L65[L65 Fluxes]
    L65 --> L66[L66 Fluxes]
    L66 --> L67[L67 Fluxes]
    L67 --> L68[L68 Fluxes]
    L68 --> L69[L69 Fluxes]
    L69 --> L70[L70 Fluxes]
    L70 --> L71[L71 Fluxes]
    L71 --> L72[L72 Fluxes]
    L72 --> L73[L73 Fluxes]
    L73 --> L74[L74 Fluxes]
    L74 --> L75[L75 Fluxes]
    L75 --> L76[L76 Fluxes]
    L76 --> L77[L77 Fluxes]
    L77 --> L78[L78 Fluxes]
    L78 --> L79[L79 Fluxes]
    L79 --> L80[L80 Fluxes]
    L80 --> L81[L81 Fluxes]
    L81 --> L82[L82 Fluxes]
    L82 --> L83[L83 Fluxes]
    L83 --> L84[L84 Fluxes]
    L84 --> L85[L85 Fluxes]
    L85 --> L86[L86 Fluxes]
    L86 --> L87[L87 Fluxes]
    L87 --> L88[L88 Fluxes]
    L88 --> L89[L89 Fluxes]
    L89 --> L90[L90 Fluxes]
    L90 --> L91[L91 Fluxes]
    L91 --> L92[L92 Fluxes]
    L92 --> L93[L93 Fluxes]
    L93 --> L94[L94 Fluxes]
    L94 --> L95[L95 Fluxes]
    L95 --> L96[L96 Fluxes]
    L96 --> L97[L97 Fluxes]
    L97 --> L98[L98 Fluxes]
    L98 --> L99[L99 Fluxes]
    L99 --> L100[L100 Fluxes]
  
```

QCF: overall quality control flag

The QCF (overall quality control flag) is calculated from the right flag from single sets.


- QCF = 0: Flag that shows the overall quality of the respective data point.
- QCF = 1: Flag that shows the overall quality of the respective data point.
- QCF = 2: Flag that shows the overall quality of the respective data point.
- QCF = 3: Flag that shows the overall quality of the respective data point.
- QCF = 4: Flag that shows the overall quality of the respective data point.
- QCF = 5: Flag that shows the overall quality of the respective data point.
- QCF = 6: Flag that shows the overall quality of the respective data point.
- QCF = 7: Flag that shows the overall quality of the respective data point.
- QCF = 8: Flag that shows the overall quality of the respective data point.
- QCF = 9: Flag that shows the overall quality of the respective data point.
- QCF = 10: Flag that shows the overall quality of the respective data point.
- QCF = 11: Flag that shows the overall quality of the respective data point.
- QCF = 12: Flag that shows the overall quality of the respective data point.
- QCF = 13: Flag that shows the overall quality of the respective data point.
- QCF = 14: Flag that shows the overall quality of the respective data point.
- QCF = 15: Flag that shows the overall quality of the respective data point.
- QCF = 16: Flag that shows the overall quality of the respective data point.
- QCF = 17: Flag that shows the overall quality of the respective data point.
- QCF = 18: Flag that shows the overall quality of the respective data point.
- QCF = 19: Flag that shows the overall quality of the respective data point.
- QCF = 20: Flag that shows the overall quality of the respective data point.
- QCF = 21: Flag that shows the overall quality of the respective data point.
- QCF = 22: Flag that shows the overall quality of the respective data point.
- QCF = 23: Flag that shows the overall quality of the respective data point.
- QCF = 24: Flag that shows the overall quality of the respective data point.
- QCF = 25: Flag that shows the overall quality of the respective data point.
- QCF = 26: Flag that shows the overall quality of the respective data point.
- QCF = 27: Flag that shows the overall quality of the respective data point.
- QCF = 28: Flag that shows the overall quality of the respective data point.
- QCF = 29: Flag that shows the overall quality of the respective data point.
- QCF = 30: Flag that shows the overall quality of the respective data point.
- QCF = 31: Flag that shows the overall quality of the respective data point.
- QCF = 32: Flag that shows the overall quality of the respective data point.
- QCF = 33: Flag that shows the overall quality of the respective data point.
- QCF = 34: Flag that shows the overall quality of the respective data point.
- QCF = 35: Flag that shows the overall quality of the respective data point.
- QCF = 36: Flag that shows the overall quality of the respective data point.
- QCF = 37: Flag that shows the overall quality of the respective data point.
- QCF = 38: Flag that shows the overall quality of the respective data point.
- QCF = 39: Flag that shows the overall quality of the respective data point.
- QCF = 40: Flag that shows the overall quality of the respective data point.
- QCF = 41: Flag that shows the overall quality of the respective data point.
- QCF = 42: Flag that shows the overall quality of the respective data point.
- QCF = 43: Flag that shows the overall quality of the respective data point.
- QCF = 44: Flag that shows the overall quality of the respective data point.
- QCF = 45: Flag that shows the overall quality of the respective data point.
- QCF = 46: Flag that shows the overall quality of the respective data point.
- QCF = 47: Flag that shows the overall quality of the respective data point.
- QCF = 48: Flag that shows the overall quality of the respective data point.
- QCF = 49: Flag that shows the overall quality of the respective data point.
- QCF = 50: Flag that shows the overall quality of the respective data point.
- QCF = 51: Flag that shows the overall quality of the respective data point.
- QCF = 52: Flag that shows the overall quality of the respective data point.
- QCF = 53: Flag that shows the overall quality of the respective data point.
- QCF = 54: Flag that shows the overall quality of the respective data point.
- QCF = 55: Flag that shows the overall quality of the respective data point.
- QCF = 56: Flag that shows the overall quality of the respective data point.
- QCF = 57: Flag that shows the overall quality of the respective data point.
- QCF = 58: Flag that shows the overall quality of the respective data point.
- QCF = 59: Flag that shows the overall quality of the respective data point.
- QCF = 60: Flag that shows the overall quality of the respective data point.
- QCF = 61: Flag that shows the overall quality of the respective data point.
- QCF = 62: Flag that shows the overall quality of the respective data point.
- QCF = 63: Flag that shows the overall quality of the respective data point.
- QCF = 64: Flag that shows the overall quality of the respective data point.
- QCF = 65: Flag that shows the overall quality of the respective data point.
- QCF = 66: Flag that shows the overall quality of the respective data point.
- QCF = 67: Flag that shows the overall quality of the respective data point.
- QCF = 68: Flag that shows the overall quality of the respective data point.
- QCF = 69: Flag that shows the overall quality of the respective data point.
- QCF = 70: Flag that shows the overall quality of the respective data point.
- QCF = 71: Flag that shows the overall quality of the respective data point.
- QCF = 72: Flag that shows the overall quality of the respective data point.
- QCF = 73: Flag that shows the overall quality of the respective data point.
- QCF = 74: Flag that shows the overall quality of the respective data point.
- QCF = 75: Flag that shows the overall quality of the respective data point.
- QCF = 76: Flag that shows the overall quality of the respective data point.
- QCF = 77: Flag that shows the overall quality of the respective data point.
- QCF = 78: Flag that shows the overall quality of the respective data point.
- QCF = 79: Flag that shows the overall quality of the respective data point.
- QCF = 80: Flag that shows the overall quality of the respective data point.
- QCF = 81: Flag that shows the overall quality of the respective data point.
- QCF = 82: Flag that shows the overall quality of the respective data point.
- QCF = 83: Flag that shows the overall quality of the respective data point.
- QCF = 84: Flag that shows the overall quality of the respective data point.
- QCF = 85: Flag that shows the overall quality of the respective data point.
- QCF = 86: Flag that shows the overall quality of the respective data point.
- QCF = 87: Flag that shows the overall quality of the respective data point.
- QCF = 88: Flag that shows the overall quality of the respective data point.
- QCF = 89: Flag that shows the overall quality of the respective data point.
- QCF = 90: Flag that shows the overall quality of the respective data point.
- QCF = 91: Flag that shows the overall quality of the respective data point.
- QCF = 92: Flag that shows the overall quality of the respective data point.
- QCF = 93: Flag that shows the overall quality of the respective data point.
- QCF = 94: Flag that shows the overall quality of the respective data point.
- QCF = 95: Flag that shows the overall quality of the respective data point.
- QCF = 96: Flag that shows the overall quality of the respective data point.
- QCF = 97: Flag that shows the overall quality of the respective data point.
- QCF = 98: Flag that shows the overall quality of the respective data point.
- QCF = 99: Flag that shows the overall quality of the respective data point.
- QCF = 100: Flag that shows the overall quality of the respective data point.

https://holukas.github.io/dataset_ch-cha_flux_product/intro.html



- Free online version
- Good chapters e.g. about SHAP

- Also: there is an extra book (not free) about [Interpreting Machine Learning Models with SHAP](https://christophm.github.io/interpretable-ml-book/)



<https://christophm.github.io/interpretable-ml-book/>